

Klinik für Gefäßchirurgie Vaskuläre und endovaskuläre Chirurgie Universitätsklinikum Heidelberg

Publikationen und Impact Faktoren 2007

GESAMT	IF	Δ IF
	25.686 (20)	1.351

Klinische Anforderungen an die Bildgebung der Aorta

D. Böckler¹, A. Hylik-Dürr¹, H. von Tengg-Kobligk², R. Lopez-Benitez³, H.-U. Kauczor² und K. Klemm¹

Der Radiologe.2007;47(11):962-973

IF 0.696

1

Aktuelle Bildnachverarbeitung der aortalen CTA und MRA

H. von Tengg-Kobligk¹, T.F. Weber¹, F. Rengier¹, D. Böckler², H. Schumacher³ und H.-U. Kauczor¹

Der Radiologe.2007;47(11):1003-1011

IF 0.696

2

An unusual cause of peripheral artery embolism: Floating thrombus of the thoracic aorta surgically removed

D. Böckler, H. von Tengg-Kobligk, M. Schoebinger, M. L. Gross, H. Schumacher, S. Ockert, J.-R. Allenberg

VASA.2007;36(2):121 – 123

IF 0.568

3

Intermittent claudication secondary to a traumatic arteriovenous fistula

D. Kotelis, K. Klemm, H. v. Tengg-Kobligk, J.-R. Allenberg, D. Böckler

VASA.2007;36(4):285 – 286

IF 0.568

4

Feeding Arteries of the Spinal Cord at CT Angiography Before and After Thoracic Aortic Endografting

Hendrik von Tengg-Kobligh, MD, Dittmar Böckler, MD, PhD, Tania M. Jose, MD, Marika Ganten, MD, Drosos Kotelis, MD, Simon Nagel, MD, Frederik L. Giesel, MD, Miles A. Kirchin, PhD, Stefan Delorme, MD, Hardy Schumacher, MD, PhD, Jens-Rainer Allenberg, MD, PhD and Hans-Ulrich Kauczor, MD

J Endovasc Ther. 2007;14(5):639 – 649

IF 2.135

5

Late Aneurysm Rupture After Repressurization of a Thrombosed Stent-Graft

Philipp Geisbüsch, MD, Hardy Schumacher, MD, PhD, Jochen Hansmann, MD, Jens-Rainer Allenberg, MD, PhD and Dittmar Böckler, MD, PhD

J Endovasc Ther. 2007;14(5):672 – 675

IF 2.135

6

Leiomyosarkom der V. cava inferior

D. Kotelis, F. Giesel, D. Böckler, H. Schumacher, M. Schöbinger and J.-R. Allenberg

Der Chirurg.2007;78(5):469-470

IF 0.489

7

Endovaskuläre Therapie des traumatischen Aortenabrisses

D. Böckler, H. Schumacher, M. Leszczynski, D. Kotelis, H. von Tengg-Kobligh, S. Ockert and J.-R. Allenberg

Gefäßchirurgie.2007;12(2):139-150

8

Rupturiertes abdominelles Aortenaneurysma

S. Ockert, D. Böckler, J. Allenberg and H. Schumacher

Gefäßchirurgie.2007;12(5):379-392

9

Hybridverfahren zur Therapie thorakoabdomineller Aortenaneurysmen (TAAA)

O. Wolf, D. Böckler, P. Heider, K. Klemm, H. Schumacher, M. Hanke, D. Kotelis, J.-R. Allenberg and H.-H. Eckstein

Gefäßchirurgie.2007;12(5):379-392

10

Geschlechtsverteilung aortaler Gefäßerkrankungen

D. Böckler, U. Burger, K. Klemm and A. Hyhlik-Dürr

Gefäßchirurgie.2007;12(6):379-392

11

Spinal Cord Ischemia after Endovascular Repair of the Descending Thoracic Aorta in a Sheep Model

D. Böckler, D. Kotelis, P. Kohlhof, H. von Tengg-Kobligk, U. Mansmann, W. Zink, C. Hörner, I. Ortlepp, A. Habel, H.-U. Kauczor, B. Graf and J.-R. Allenberg

J Vasc Endovasc Surg.2007;34(4)461-469

IF 2.156

12

Impaired Fas-induced apoptosis of T lymphocytes in patients with abdominal aortic aneurysms

Jian Zhang, Dittmar Böckler, Eduard Ryschich, Klaus Klemm, Hardy Schumacher, Jan Schmidt, Jens R. Allenberg

J Vasc Surg.2007;35(5):1039-1046

IF 3.331

13

Novel Type I Hair Keratins K39 and K40 Are the Last to be Expressed in Differentiation of the Hair: Completion of the Human Hair Keratin Catalog.

Langbein, Lutz; Rogers, Michael A.; Praetzel-Wunder, Silke; Böckler, Dittmar; Schirmacher, Peter; Schweizer, Jürgen.

Journal of Investigative Dermatology, Jun2007, Vol. 127 Issue 6, p1532-1535

IF 4.535

14

Rapid expansion of an inflammatory abdominal aortic aneurysm.

Mory M, Hansmann J, Allenberg JR, Boeckler D.

Vasc Med.2007;12 (4): 381-382

IF 0.98

15

Metabolic syndrome and peripheral arterial occlusive disease as indicators for increased cardiovascular risk

Diehm C, Darius H, Pittrow D, Allenberg JR, Haberl RL, Mahn M, Tepohl HG, Trampisch HJ, Lange S

Dtsch Med Wochenschr.2007;132(1-2):15-20

IF 0.584

16

Importance of the ankle-brachial index (ABI) in the prevention of cardiovascular diseases. Ten questions and answers.

Diehm C, Allenberg JR, Pittrow D, Darius H.

HERZ.2007;32(5):404-409

IF 0.405

17

Early and midterm results after open and endovascular repair of ruptured abdominal aortic aneurysms in a comparative analysis

Ockert S, Schumacher H, Böckler D, Megges I, Allenberg JR.

J Endovasc Ther.2007;14(3):324-332

IF 2.135

18

Midterm results after endovascular aortic aneurysm repair in the elderly.

Böckler D, Mansmann U, Krauss M, Schunn C, Tengg-Kobligh H, Raithel D.

Zentralbl Chir.2007;132(3):198-204

IF 0.548

19

Hybrid procedures as a combined endovascular and open approach for pararenal and thoracoabdominal aortic pathologies.

Böckler D, Schumacher H, Klemm K, Riemensperger M, Geisbüsch P, Kotelis D, Rotert H, Allenberg JR

Langenbeck Arch Surg.2007;392(6):715-723

IF 1.496

20

Comparative early and midterm results of open juxtarenal and infrarenal aneurysm repair

Ockert S, Schumacher H, Böckler D, Malcherek K, Hansmann J, Allenberg J

IF 1.496

21

Profound influence of different methods for determination of the ankle brachial index on the prevalence estimate of peripheral arterial disease.

Lange SF, Trampisch HJ, Pittrow D, Darius H, Mahn M, Allenberg JR, Tepohl G, Haberl RL, Diehm C; getABI Study Group.

BMC Public Health. 2007;7:147.

IF 1.633