

# **Publikationen Zahnärztliche Prothetik**

## **2014**

1. BOEMICKE W, KAPPEL S, STOBER T, RAMMELSBERG P.  
Clinical comparison of metal ceramic resin-bonded fixed dental prostheses with a conventional and a mixed retainer design.  
J Prosthet Dent 2014; 112: 472-80
2. HELLMANN D, BECKER G, GIANNAKOPOULOS NN, EBERHARD L, FINGERHUT C, RAMMELSBERG P, SCHINDLER HJ  
Precision of jaw-closing movements for different jaw gaps.  
Eur J Oral Sci. 2014; 122: 49-56.
3. LISTL S, FISCHER L, GIANNAKOPOULOS NN.  
An economic evaluation of maxillary implant overdentures based on six vs. four implants.  
BMC Oral Health 2014; 14: 105.
4. OHLMANN B, LORENZO JB, RAMMELSBERG P, SCHMITTER M, ZENTHÖFER A, STOBER T  
Comparison of incidence of complications and aesthetic performance for posterior metal-free polymer crowns and metal-ceramic crowns: results from a randomized clinical trial  
J Dent. 2014; 42: 671-6
5. RAMMELSBERG P, BERNHART G, LORENZO BERMEO J, SCHMITTER M, SCHWARZ S.  
Prognosis of implants and abutment teeth under combined tooth-implant-supported and solely implant-supported double-crown-retained removable dental prostheses.  
Clin Oral Impl Res. 2014; 25: 813-818
6. SCHMITTER M, SCHWEIGER M, MUELLER D, RUES S  
effect of in vitro fracture resistance of the technique used to attach lithium disilicate ceramic veneer to zirconia frameworks.  
Dent Mat 2014; 30:122-130.
7. SCHWARZ S, BERNHART G, HASSEL AJ, RAMMELSBERG P.  
Survival of Double-Crown-Retained Dentures Either Tooth-Implant or Solely Implant-Supported: An 8-Year Retrospective Study.  
Clin Implant Dent Relat Res. 2014; 16: 618-25.
8. SCHWARZ S, BERNHART G, EIFFLER C, HASSEL AJ, LEHMANN F, RAMMELSBERG P.  
Early Loading of Implants with Fixed Dental Prostheses in Edentulous Mandibles: 7.2-Year Clinical Results from a Prospective Study.  
Clin Implant Dent Relat Res. 2014 16; 904-12
9. SCHMITTER M, BOEMICKE W, STOBER T.  
Bruxism in prospective studies of veneered zirconia restorations – a systematic review  
Int J Prosthodont 2014; 27: 127-133
10. SCHWINDLING FS, DITTMANN B, RAMMELSBERG P  
Double-crown retained removable dental prostheses: A retrospective study of survival and complications  
J Prosthet Dent. 2014; 112: 488-93.

11. SCHWINDLING FS, BÖMICKE W, HASSEL AJ, RAMMELSBERG P, STOBER T.  
Randomized clinical evaluation of a light-cured base material for complete dentures.  
*Clin Oral Investig.* 2014; 18: 1457-65.
12. SCHWINDLING FS, RAMMELSBERG P, STOBER T.  
Effect of chemical disinfection on the surface roughness of hard denture base materials: a systematic literature review.  
*Int J Prosthodont.* 2014; 27: 215-25.
13. STOBER T, HEUSCHMID N, ZELLWEGER G, ROUSSON V, RUES S, HEINTZE SD  
Comparability of clinical wear measurements by optical scanning in two different centers.  
*Dent Mater* 2014; 30:499-506
14. STOBER T, SCHMITTER M, LORENZO JB, RAMMELSBERG P  
Enamel wear caused by monolithic zirconia crowns after six months of clinical use.  
*J Oral Rehabil.* 2014; 41: 314-22
15. ZENTHÖFER A, SCHRÖDER J, CABRERA T, RAMMELSBERG P, HASSEL A.  
Comparison of oral health among older people with and without dementia  
*Community Dental Health* 2014; 31: 27-31
16. ZENTHÖFER A, CABRERA T, CORCODEL N, RAMMELSBERG P, HASSEL AJ.  
Comparison of the Easyshade Compact and Advance in vitro and in vivo.  
*Clin Oral Investig.* 2014; 18:1473-1479
17. ZENTHÖFER A, RAMMELSBERG P, CABRERA T, SCHRÖDER J, HASSEL AJ  
Determinants of oral health-related quality of life of the institutionalized elderly.  
*Psychogeriatrics.* 2014; 14: 247-54.
18. ZENTHÖFER A, RAMMELSBERG P, CABRERA T, HASSEL AJ  
Increasing dependency of older people in nursing homes is associated with need for dental treatments.  
*Neuropsychiatric Disease and Treatment* 2014; 10: 2285-2290